


Abbott Analytical



Consulting Scientists to the Disinfectant Industry

4th December 2006

CERTIFICATE OF ANALYSIS.

Samples: One sample of Technon Biocleanse received from Quadralene Ltd, Bateman Street. Derby, DE23 8JL. 29th November 2006

Certificate No: 06L.125.QAD

Page: 1 of 2

Sample Ref: 61 / 125

Analysis Required: EN 14348 Quantitative suspension test for evaluation of Mycobactericidal quality of Chemical disinfectants.


Samples Tested: 1st December 2006

Product stored at room temperature in the dark.
Active substance: Not declared.


Experimental conditions:

Product test concentrations	- Neat as received
Contact time	- 1min, 5 min & 15 min
Interfering substance	- 3.0g/l Bovine albumin 3.0ml/l Sheep erythrocytes
Test Temperature	- 20 ⁰ C \pm 0.5 ⁰ C
Neutralising solution	- 3% Tween 80, 3% Saponin, 0.1% Histidine
Temperature of incubation	- 37 ⁰ C \pm 1 ⁰ C

D C Watson



Abbott Analytical



Consulting Scientists to the Disinfectant Industry

4th December 2006

Certificate No 61.125.QAD

Page 2 of 2

Test Results

Validation test	Mycobacterium terrae	Mycobacterium avium
Bacterial suspension	Vc 102, 166 Nv 1.84×10^3	Vc 214, 176 Nv 1.95×10^3
Experimental conditions	Vc 158, 170 A 1.64×10^2	Vc 190, 163 A 1.76×10^2
Neutraliser control	Vc 133, 175 B 1.54×10^2	Vc 258, 277 B 2.67×10^2
Dilution-neutralisation control	Vc 142, 118 C 1.30×10^2	Vc 240, 266 C 2.53×10^2
Bacterial Test Suspension	10^{-6} 116 140 10^{-7} 12 13 N 1.26×10^8	10^{-6} 136 172 10^{-7} 25 28 N 2.09×10^8
Test results at concentrations		
1 min Vc	13	25
Na	1300	2500
R	9.69×10^4	8.36×10^4
5 min Vc	7	14
Na	700	1400
R	1.80×10^5	1.49×10^5
15 min Vc	3	5
Na	300	500
R	4.20×10^5	4.18×10^5

Vc = Viable Count.

N = Number of cfu/ml of the bacterial test suspension.

Nv = Number of cfu in bacterial suspension

R = Reduction in viability

Na = Number of cfu/ml in the test mixture

Conclusion: According to EN 14348 this batch of Teknon Biocleanse when used neat as received **possesses satisfactory mycobactericidal activity in 1 minute** at 20°C under dirty conditions (3.0g/l bovine albumin, 3ml/l sheep erythrocytes) for the reference organisms detailed.

D C Watson